
# GATS 2

# Global Adult Tobacco Survey FACT SHEET | TELANGANA 2016-17


Percent distribution of adults by tobacco use, Telangana 2016-17



## **About GATS**

The Global Adult Tobacco Survey (GATS) is a global standard for systematically monitoring adult tobacco use (smoking and smokeless) and tracking key tobacco control indicators.

GATS is a household survey of persons 15 years of age and older conducted in all 30 states of India and two Union Territories. The first round of GATS was conducted between June 2009 and January 2010. The second round of GATS was conducted between August 2016 to February 2017 by Tata Institute of Social Sciences (TISS), Mumbai for Ministry of Health & Family Welfare (MoHFW), Government of India. A multi-stage sample design was used for both rounds of GATS. From each of the sampled households, one household member 15 years of age and older was randomly selected for individual interview. In Telangana, a total of 883 males and 944 females were interviewed during September -October 2016.



# **GATS 2 Highlights**


- 15.3% of men, 1.4% of women and 8.3% of all adults currently smoke tobacco.
- 11.3% of men, 9.0% of women and 10.1% of all adults currently use smokeless tobacco.
- 25.9% of men, 9.8% of women and 17.8% of all adults either smoke tobacco and/or use smokeless tobacco.
- *Khaini* and *bidi* are the two most commonly used tobacco products. 5.2% of adults use *khaini* and 4.9% of adults smoke *bidi*.
- None of the person aged 15-17 reported tobacco use.
- The mean age at initiation of tobacco use is 19.9 years.
- 88.3% of smokers were advised by a health care provider to quit smoking and 49.4% of smokeless tobacco users were advised by a health care provider to quit smokeless tobacco use.
- 30.9% of adults who worked indoors were exposed to second-hand smoke at their workplace.
- One in every five adults was exposed to second-hand smoke at any public place <sup>7</sup>.
- 57.6% of cigarette smokers and 61.3% of *bidi* smokers thought of quitting smoking because of warning label. 50.2% of smokeless tobacco users thought of quitting smokeless tobacco use because of warning label.





Age at initiation of tobacco use, smoking and smokeless tobacco


use, GATS Telangana, 2009-10 and 2016-17 (mean age in years) 2009-10 2016-17 21.0 19.9 19.4 Any tobacco use **Smoking Smokeless tobacco** 




## **KEY INDICATORS - GATS 2**

TOBACCO USE	MEN	WOMEN (%)	URBAN (%)	RURAL (%)	TOTAL (%)
	(%)				GATS 2
Tobacco Smokers					
Current tobacco smokers	15.3	1.4	5.2	10.6	8.3
Daily tobacco smokers	13.0	1.3	4.2	9.2	7.1
Current cigarette smokers <sup>1</sup>	7.1	1.0	3.2	4.7	4.1
Current bidi smokers	9.4	0.3	2.1	6.9	4.9
Smokeless Tobacco Users					
Current smokeless tobacco users	11.3	9.0	8.6	11.3	10.1
Daily smokeless tobacco users	9.6	8.1	7.4	9.9	8.8
Current 'betel quid with tobacco' users	2.1	5.6	3.8	3.9	3.9
Current khaini users	5.5	4.9	4.3	5.9	5.2
Current gutka users	3.2	2.6	3.8	2.2	2.9
Current 'oral tobacco application' users	4.0	2.1	1.8	4.0	3.1
Current 'pan masala with tobacco' users	0.8	1.4	1.0	1.2	1.1
Tobacco Users					
Current tobacco users (smoked and/or smokeless)	25.9	9.8	13.5	21.0	17.8
Current dual tobacco users (smoked and smokeless)	0.6	0.5	0.2	0.8	0.6

Percent distribution of adults by tobacco use status, GATS Telangana 2016-17




Prevalence of most commonly used tobacco products among all adults, GATS Telangana 2016-17 (Figures in Percentages)




# **KEY INDICATORS - GATS 2**

CECCATION		WOMEN	URBAN	RURAL	TOTAL (%)
CESSATION	(%)	(%)	(%)	(%)	GATS 2
Smokers who made a quit attempt in past 12 months <sup>2</sup>	55.8	22.9 <sup>L</sup>	68.1	47.8	53.2
Current smokers who planned to or were thinking about quitting	76.1	55.8 <sup>∟</sup>	86.7	70.0	74.4
Smokers advised to quit by a health care provider in past 12 months <sup>2,3</sup>	91.2	48.9 <sup>L</sup>	94.4 <sup>L</sup>	86.0	88.3
Smokeless tobacco users who made a quit attempt in past 12 months <sup>4</sup>	48.3	19.6	28.7	39.5	35.7
Current smokeless tobacco users who planned to or were thinking about quitting	73.9	34.4	77.2	44.6	56.3
Smokeless tobacco users advised to quit by a health care provider in past 12 months <sup>3,4</sup>	61.2	36.6	44.4	52.6	49.4
SECONDHAND SMOKE	MEN (%)	WOMEN (%)	URBAN (%)	RURAL (%)	TOTAL (%)
					GATS 2
Adults exposed to tobacco smoke at home <sup>5</sup>	14.4	19.0	8.2	22.8	16.6
Adults exposed to tobacco smoke at the work-place <sup>6,†</sup>	35.3	18.7	16.9	49.5	30.9
Adults exposed to tobacco smoke at any public place <sup>7,†</sup>	28.0	10.7	20.0	18.8	19.3
ECONOMICS					TOTAL (₹)
ECONOMICS					GATS 2
Average monthly expenditure on cigarette (for daily cigarette smoker)(in Indian Rupees)					1005.2
Average monthly expenditure on <i>bidi</i> (for daily <i>bidi</i> smoker)(in Indian Rupees)					212.9

Exposure to second hand smoke among all adults in past 30 days at various places,
GATS Telangana 2016-17
(Figures in Percentages)



Percent distribution of daily tobacco users by time to first tobacco use of the day, GATS Telangana 2016-17




#### **KEY INDICATORS - GATS 2**

REI INDICATORS - GAIS 2								
TOBACCO INDUSTRY ADVERTISING	CURRENT SMOKERS (%)		NON-SMOKERS (%)		TOTAL (%) GATS 2			
Adults who noticed advertisement of smoking tobacco products at point of sale $^{\mbox{\scriptsize \scriptsize T}}$	5.7		4.0		4.1			
Adults who noticed advertisement of smoking to bacco products at places $^8$ other than point of ${\rm sale}^{\scriptscriptstyle \dagger}$	11.0		7.9		8.2			
Adults who noticed any type of cigarette promotion 9,1	2.0		1.1		1.1			
Adults who noticed any type of bidi promotion <sup>9,†</sup>	1.8		0.7		0.8			
	CURRENT USERS OF SMOKELESS TOBACCO (%)		NON-USERS OF SMOKELESS TOBACCO (%)		TOTAL (%) GATS 2			
Adults who noticed advertisement of smokeless to bacco products at point of $\text{sale}^{\text{t}}$	4.7		2.8		3.0			
Adults who noticed advertisement of smokeless to bacco products at places $^{\rm 8}$ other than point of ${\rm sale}^{\rm t}$	10.0		8.2		8.3			
Adults who noticed any type of smokeless tobacco promotion9,1	2.0		1.0		1.1			
ANTI TOBACCO INFORMATION	MEN (%)	WOMEN (%)	URBAN (%)	RURAL (%)	TOTAL (%) GATS 2			
Current cigarette smokers who thought about quitting because of warning label on cigarette packet $^{\! \dagger}$	65.6	3.3 <sup>L</sup>	85.4 <sup>L</sup>	43.8	57.6			
Current $\it bidi$ smokers who thought about quitting because of a warning label on $\it bidi$ packet $^{\rm t}$	63.4	0.0 <sup>L</sup>	51.1 <sup>L</sup>	63.6	61.3			
Adults who noticed information about dangers of smoking tobacco or that encourages quitting on television or radio $^\dagger$	85.3	81.8	92.6	76.9	83.6			
Current smokeless to bacco users who thought about quitting because of a warning label on smokeless to bacco packet $^{\!\scriptscriptstyle \dagger}$	73.6	21.0	60.9	44.2	50.2			
Adults who noticed information about dangers of using smokeless to bacco or that encourages quitting on television or radio $^{\! \dagger}$	76.1	73.5	85.2	67.1	74.8			
KNOWLEDGE, ATTITUDE & PERCEPTION	MEN	WOMEN	URBAN	RURAL	TOTAL (%)			
	(%)	(%)	(%)	(%)	GATS 2			
Adults who believed smoking causes serious illness	95.0	93.2	95.4	93.2	94.1			
Adults who believed breathing other people's smoke causes serious illness among non-smokers	96.8	93.1	96.7	93.6	94.9			
Adults who believed breathing other people's smoke causes serious illness in children	97.5	93.0	96.9	94.1	95.3			
Adults who believed use of smokeless tobacco causes serious illness	98.6	95.3	97.9	96.2	96.9			
Adults who believed use of smokeless tobacco during pregnancy causes harm to foetus	85.5	86.2	87.0	85.0	85.9			

Percentage of adults who thought about quitting because of a warning label on packages of cigarette, *bidi* and smokeless tobacco, GATS Telangana, 2009-10 and 2016-17

(Figures in Percentages)



- 1 Includes manufactured cigarettes and hand-rolled cigarettes.
- 2 Includes current smokers and those who quit in the past 12 months.
- 3 Among those who visited a health care provider in the past 12 months.
- 4 Includes current smokeless users and those who quit in the past 12 months.
- 5 Among all adults exposed at any time.
- 6 Among those who work outside of the home who usually work indoors or both indoors and outdoors.
- 7 Public places includes government offices/buildings, health care facilities, restaurants and public transportation vehicles.
- Places other than point of sale includes television, radio, billboards/hoardings, posters, newspapers or magazines, cinemas, internet, public transportation vehicles or stations and public walls.
- Includes products at sale prices, free samples, free gifts or discount offers on other products when buying tobacco products, clothing or other items with brand name or logo of the product, promotion in mail and surrogate advertisement.
- † During the past 30 days.
- L Less than 25 cases

NOTE: Indicators from GATS 1 are not shown as GATS 1 was conducted in undivided Andhra Pradesh.